DESKTOP SIGN

CURVED WALL SIGN SYSTEM FOR WAY FINDING NEEDS

Offering a complete range, aluminium wall sign profiles are designed to enable usage on a counter to match wall igns. Desktop Sign is fixed to a convenient reading angle to be seen by the customers easily. It is suitable for receptions, restaurants, cafés, and many more. It is a practical product to change the message very often.

KEY SELECTION ATTRIBUTES

* Wall sign with curved design.
* Ideal for wayfinding needs in buildings.
* Suitable for printed paper inserts.
* Natural silver anodised aluminium profiles.
* Various sizes fitting in 4 profile types.
* Anti-reflex and clear front cover for protection.
* Flat or arc endcap versions for profiles.
* Comes with double-sided tape and one suction cup.
* Horizontally curved, double-sided, suspended signs.
* Ideal for wayfinding and directional signs in buildings.
* Suitable for printed paper, plastic, or any flexible material inserts up to 1 mm thick.
* Natural silver anodised aluminium profiles.
* Single-sided profiles can be used for double-sided suspended systems.
* Various sizes fitting in 4 profile types.
* Anti-reflex and clear PET front covers ensure protection and clarity of message.
* Flat or arc endcap versions for profiles.
* Easy-to-access poster with suction cup provided in the pack.
* Easy to update messages.
* Available in standard sizes as well as bespoke sizes (subject to MOQ).
* For more than 5 layers, please contact your sales executive.

COLOURS IN STOCK

Silver   Black

COLOUR OPTIONS

Black Anodised
Silver Anodised

White - RAL 9003
Black - RAL 9005

Red- RAL 3020
Blue - RAL 5002

Green - RAL 6029
Yellow - RAL 1021

SUITABLE FOR

Wall Signs can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

FEATURES

EXPLODED VIEW

TECHNICAL DRAWING

ARTICLES

ARTICLE	EXTERNAL (x-y)	POSTER SIZE	WEIGHT WITH PACKING	PACKING SIZE *W X H X D
UMDS740N15	155 X 82 mm	74 X 150 mm	0,200 kg	110 X 180 X 75 mm
UMDS740N20	205 X 82 mm	74 X 200 mm	0,250 kg	110 X 230 X 75 mm
UMDS740N25	255 X 82 mm	74 X 250 mm	0,350 kg	110 X 280 X 75 mm
UMDS105N15	155 X 110 mm	105 X 150 mm	0,250 kg	140 X 170 X 85 mm
UMDS105N20	205 X 110 mm	105 X 200 mm	0,350 kg	140 X 230 X 85 mm
UMDS105N25	255 X 110 mm	105 X 250 mm	0,400 kg	140 X 280 X 85 mm
UMDS105N30	305 X 110 mm	105 X 300 mm	0,450 kg	140 X 330 X 85 mm
UMDS148N20	205 X 148 mm	148 X 200 mm	0,400 kg	180 X 230 X 95 mm
UMDS148N25	255 X 148 mm	148 X 250 mm	0,450 kg	180 X 280 X 95 mm
UMDS148N30	305 X 148 mm	148 X 300 mm	0,500 kg	180 X 320 X 95 mm

OPTIONAL ACCESSORIES

Suction Cup / UYAA006010

PHYSICAL DATA

Material
15mm silver anodised aluminium profile. Anti-reflex clear PET front cover.

Poster Material & Thickness
0,10 – 0,20 mm for standard product. Suitable for paper inserts up to 1mm thick for standard product. Any non-standard peper thicknesses should be indicated with order.

Surface Finish
Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content
Up to 78% recycled content used.

Warranty
All products are guaranteed for 3 years by MT Displays with below conditions:
Warranty Conditions

Installation Considerations
Use the suction cup enclosed to easily remove the insert. Compatible signage methods; printed papers from common printers, cut vinyl, digitally printed vinyl, screen-printed materials.

Storage Conditions
Goods should be stored at 0°-35℃ in a dry place. Store in the original package.

Design Considerations
Compatible signage methods; printed papers from common, printers, cut vinyl, digitally printed vinyl, screen-printing. Please clean the surface before applying the double-sided tape for better application.

Cleaning and Disinfecting
Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com

PRINT TEMPLATES

Desktop Sign - 74x150 mm
Document Size: 84 x 160 mm (Includes Bleeds)
Finished Size: 74 x 150 mm **Print**

Desktop Sign - 74x200 mm
Document Size: 84 x 210 mm (Includes Bleeds)
Finished Size: 74 x 200 mm **Print**

Desktop Sign - 74x250 mm
Document Size: 84 x 260 mm (Includes Bleeds)
Finished Size: 74 x 250 mm **Print**

Desktop Sign - 105x150 mm
Document Size: 110 x 160 mm (Includes Bleeds)
Finished Size: 105 x 150 mm **Print**

Desktop Sign - 105x200 mm
Document Size: 110 x 210 mm (Includes Bleeds)
Finished Size: 105 x 200 mm **Print**

Desktop Sign - 105x250 mm
Document Size: 110 x 260 mm (Includes Bleeds)
Finished Size: 105 x 250 mm **Print**

Desktop Sign - 105x300 mm
Document Size: 110 x 310 mm (Includes Bleeds)
**Finished Size:** 105 x 300 mm **Print**

Desktop Sign - 148x200 mm
Document Size: 158 x 210 mm (Includes Bleeds)
Finished Size: 148 x 200 mm **Print**

Desktop Sign - 148x250 mm
Document Size: 158 x 260 mm (Includes Bleeds)
**Finished Size:** 148 x 250 mm **Print**

Desktop Sign - 148x300 mm
Document Size: 158 x 310 mm (Includes Bleeds)
Finished Size: 148 x 300 mm **Print**

INSTALLATION INSTRUCTIONS

Desktop Sign / 1007605

• Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you
have made the purchase if anyproblem with the product occurs.
• All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements
will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document.
For final and legally binding information, please get in touch with the sales staff at MT Displays.

T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com