

PORTABLE SIDEWALK SIGNS WITH FOLDABLE DESIGN

Easy go A Board is an ultraportable and easy to use model in A board range
With its unique foldable design, it is easy to carry and set up. There are 3 different panels that can be used in this model; chalkpanel, write-on panel, PVC Foam
panel for direct printing. These panels will be slided into the channels of the legs. Suitable for max. 6 mm panels.

KEY SELECTION ATTRIBUTES

- * Ultraportable, double sided pavement sign with unique foldable design.
- * Easy to use, carry and set up due to its foldability feature.
- * Suitable for use with 3 different panel models: chalkpanel, write-on panel or PVC foam panel for direct printing.
- * Panels with max. 6mm thickness can be slided from top into the channels of the legs of A Board.
- * One set includes only the foldable A Board packed in a single box.
- * Optional panels are not included, should be ordered separately.
- * Natural silver-anodized, black in standard and various RAL colors available with antimicrobial powder coating.





COLOURS IN STOCK



COLOUR OPTIONS



Red- RAL 3020	
Blue - RAL 5002	
Green - RAL 6029	
Yellow - RAL 1021	

SUITABLE FOR

Easy Go A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website www.mtdisplays.com

FEATURES













EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

					WEIGHT	PACKING SIZE
ARTICLE	POSTER	COPY	Х	Н	WITH PACKING	*WXHXD
UABEGOONA1	594 X 841 mm	576 X 841 mm	634 mm	1150 mm	5,900 kg	115 X 1220 X 65 mm
UABEG00NB2	500 X 700 mm	482 X 700 mm	540 mm	950 mm	5,000 kg	115 X 1020 X 65 mm
UABEG00NB1	700 X 1000 mm	682 X 1000 mm	740 mm	1250 mm	6,500 kg	115 X 1320 X 65 mm
UABEG00N22	22" X 28"	21.30" X 27.99"	23.58"	37.40"	11.243 lbs	4.53" X 40.16" X 2.56"
UABEG00N24	24" X 36"	23.31" X 35.98"	25.59"	45.28"	13.227 lbs	4.53" X 48.03" X 2.56"

PANELS					WEIGHT	PACKING SIZE (2 Pcs)
CHALK PANEL	WRITE-ON PANEL	PVC FOAM PANEL	SIZE	WIT	H PACKING	*W X H X D
UYPEG100A1	UYPEG200A1	UYPEG300A1	594 X 841 mm	5	,900 kg	115 X 1220 X 65 mm
UYPEG100B2	UYPEG200B2	UYPEG300B2	500 X 700 mm	5	5,000 kg	115 X 1020 X 65 mm
UYPEG100B1	UYPEG200B1	UYPEG300B1	700 X 1000 mm	6	5,500 kg	115 X 1320 X 65 mm
UYPEG10022	UYPEG20022	UYPEG30022	22"X 28"	1	1.243 lbs	4.53" X 40.16" X 2.56"
UYPEG10024	UYPEG20024	UYPEG30024	24" X 36"	13	3.227 lbs	4.53" X 48.03" X 2.56"

PHYSICAL DATA

Material

Anodised aluminium profiles. Chalk panel, Write-on panel and PVC Foam panel.

Poster Material & Thickness

? mm for standard product. Max poster thickness is 6 mm. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Natural silver-anodized, wood lining or black in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to %?? recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions: Warranty Conditions

Installation Considerations

Ultraportable A Boards are packed in a single box with an easy-to-understand instruction sheet. No tool assembly. One set includes only the foldable aluminium profile A Board body with interlocking side scissors for keeping the system stable. Optional panels are not included, should be ordered separately.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Design Considerations

Ultraportable Double-sided Pavement Sign with unique foldable design. Easy to use, carry and set up due to its foldability feature of top and bottom profile frames. Suitable for use with 3 different panel options: chalkpanel, write-on panel or PVC foam panel for direct printing. Panels with max. 6mm thickness can be slided from top into the channels of the legs.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.



PRINT TEMPLATES

Easy Go A Board - A1

Document Size: 604 x 851 mm (Includes Bleeds) **Finished Size:** A1 (594 x 841 mm) **Print**

Easy Go A Board - B2

Document Size: 604 x 851 mm (Includes Bleeds) **Finished Size:** A1 (594 x 841 mm) **Print**

Easy Go A Board - B1

Document Size: 604 x 851 mm (Includes Bleeds) **Finished Size:** A1 (594 x 841 mm) **Print**

Easy Go A Board - 22" x 28"


Document Size: 22.4" x 28.4" (Includes Bleeds) **Finished Size:** 22" x 28" (558.8 x 711.2 mm) **Print**


Easy Go A Board - 24" x 36"

Document Size: 24.4" x 36.4" (Includes Bleeds) **Finished Size:** 24" x 36" (609.6 x 914.4 mm) **Print**

INSTALLATION INSTRUCTIONS

Easy Go A Board / 1009758H000







Panels excluded. Order separately.



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyproblem with the product occurs.
 All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.