

OPTI FRAME 14 MM



OPTIMISED USE! LOW COST FRAMES WITH ADVANCED DESIGN FEATURES

Opti Frame is a new snap frame display product that brings a new dimension to retail display snap frames. This innovative and patent protected snap frame product is manufactured exclusively by M&T Displays. Our R&D team has focused their extensive knowledge on transforming production processes to create a completely new type of front-loading snap frame. Opti-Frame not only delivers multi functional applications with a variety of mounting options, but is specifically engineered to offer very competitive pricing in response to the demands of the competitive snap frame market. With four hinged sides, all you need to do is snap open the side profiles, place your insert then the PET protection and snap shut. Only takes less than a minute. PET protection foil keeps your insert from dirt and dust as well as getting damaged.

KEY SELECTION ATTRIBUTES

- 14 mm / 45° - Round
- Mitred and round corner options are available.
- Ecologically friendly and low-cost.
- Ideal for various poster sizes.
- The front profiles are natural silver-anodized, or wood effect finish, various RAL colors available with antimicrobial powder coating.
- Gray color or wooden color backing and counter support.
- The product is protected in world by all required patent applications.
- Anti-glare poster cover sheet.
- Landscape and portrait use in same/one unit
- Wall mount or counter-top standing



Silver Anodised, Round Corner



Silver Anodised, Mitred Corner



Wood Effect, Mitred Corner



Black - RAL 9005, Mitred Corner



Red - RAL 3020 Mitred Corner



Blue - RAL 5002 Mitred Corner



RAL 1021-Yellow Mitred Corner




RAL 9005-Black Mitred Corner




RAL 6029-Green Mitred Corner




COLOURS IN STOCK



COLOUR OPTIONS



CORNER TYPES



OPTI FRAME FAMILY



PROFILE OPTIONS FULL FAMILY

Poster Size	14 mm Profile		25 mm Profile		Counter Support
	Mitred	Round	Mitred	Round	
A2	x	x	✓	✓	x
A3	x	x	✓	✓	x
A4	✓	✓	✓	✓	✓
A5	✓	✓	x	x	✓
A6	✓	✓	x	x	✓
5"x7"	✓	x	x	x	✓
8"x10"	✓	x	x	x	✓
8,5"x11"	x	x	✓	✓	✓
11"x17"	x	x	✓	x	x

SUITABLE FOR




Opti Frame can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops, banks, car dealers, gas stations, restaurants, insurance companies, libraries, museums, telecom companies, travel agencies, and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website
www.mtdisplays.com


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com

ARTICLES

								WEIGHT	PACKING SIZE
SILVER MITRED	SILVER ROUND	BLACK MITRED	WOOD MITRED	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP145N0A4	UCP140N0A4	UCP145B0A5	UCP145W0A5	231 X 318 mm	210 X 297 mm	200 X 287 mm	Without support	0,250 kg	185 X 250 X 24 mm
UCP145N1A4	UCP140N1A4	UCP145B0A6	UCP145W0A6	231 X 318 mm	210 X 297 mm	200 X 287 mm	With support	0,140 kg	140 X 190 X 24 mm
UCP145N000	-	UCP145B1A5	UCP145W1A5	8.82" X 10.83"	8" X 10" inch	7.60" X 8.82"	Without support	0.661 lbs	10.24" X 12.20" X 0.94"
UCP145N100	-	UCP145B1A6	UCP145W1A6	8.82" X 10.83"	8" X 10" inch	7.60" X 8.82"	With support	0.661 lbs	10.24" X 12.20" X 0.94"
UCP145N057		UCP145B057	UCP145W057	5.83" X 7.83"	5" X 7" inch	4.61" X 6.61"	Without support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145N157		UCP145B157	UCP145W157	5.83" X 7.83"	5" X 7" inch	4.61" X 6.61"	With support	0.396 lbs	6.69" X 8.66" X 0.94"

COLOURED					WEIGHT	PACKING SIZE
ARTICLE	COLOUR	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UCP145E1A4	RAL 6029-Green	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145E1A5	RAL 6029-Green	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145E1A6	RAL 6029-Green	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145H1A4	RAL 9003-White	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145H1A5	RAL 9003-White	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145H1A6	RAL 9003-White	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145L1A4	RAL 5002-Blue	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145L1A5	RAL 5002-Blue	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145L1A6	RAL 5002-Blue	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145R1A4	RAL 3020-Red	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145R1A5	RAL 3020-Red	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145R1A6	RAL 3020-Red	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145Y1A4	RAL 1021-Yellow	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145Y1A5	RAL 1021-Yellow	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145Y1A6	RAL 1021-Yellow	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145B1A4	RAL 9005-Black	231 X 318 mm	210 X 297 mm	200 X 287 mm	0,520 kg	250 X 350 X 24 mm
UCP145B1A5	RAL 9005-Black	169 X 231 mm	148 X 210 mm	138 X 200 mm	0,250 kg	185 X 250 X 24 mm
UCP145B1A6	RAL 9005-Black	126 X 169 mm	105 X 148 mm	95 X 138 mm	0,140 kg	140 X 190 X 24 mm
UCP145B157	RAL 9005 - Black	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145E157	RAL 6029 - Green	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145H157	RAL 9003 - White	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145L157	RAL 5002 - Blue	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145Y157	RAL 1021 - Yellow	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145R157	RAL 3020 - Red	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	0.396 lbs	6.69" X 8.66" X 0.94"

COUNTER SUPPORT FOR OPTI FRAMES				
PROFILE	POSTER SIZE	COUNTER SUPPORT / SILVER	COUNTER SUPPORT / BLACK	COUNTER SUPPORT / BROWN
25 MM	A4	UYUP460200K000	UYUP460300K100	UYUP460200K3001
	8.5" X 11"	UYUP460200K1000	UYUP460300K1000	UYUP460200K3001
14 MM	A4	UYUP460200K0000	UYUP460300K001	
	A6	UYUP460100K1000	UYUP460300K003	UYUP460100K0002
	A6	UYUP460300K4100	UYUP460300K003	UYUP460300K0002
	8"X10"	UYUP460200K0000	UYUP460300K001	-
	7"X7"	UYUP460300K0000	UYUP460300K000	-

OPTIONAL ACCESSORIES



Counter Support / UYUP460200
For A4 Opti Frame. Packed in 10.



Screw and Wall Plug / UYUP360110
For Opti Frame . Packed in 10.

PHYSICAL DATA

Material

14 mm aluminum profiles.
PET poster cover. Patterned PS backing or ABS backing. Injection moulded plastic, foldable back easel.

Poster Material & Thickness

0,10 – 0,20 mm for standard product. Max poster thickness is 0,5 mm. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Silver anodized, wood lining or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content

Up to %78 recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions:
[Warranty Conditions](#)

Installation Considerations

Opti Frame comes ready for wall mounting slots. On large frames comes with 2 slots on both long sides and small frames 1 slot on one long and one short side. Wall hanging is also available with wall hanger slots; placed on one of short and long sides. Opti Frame is packed individually in a cardboard box in standard.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Design Considerations

Optional counter support offers a new counter stand position available as standard in each unit in portrait and landscape position. Rounded mitred corners ensure maximum safety in public areas. Suitable for silk screen printing, max. letter height is 7 mm. No custom sizes available.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Certifications / Patents

Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



PRINT TEMPLATES

Opti Frame 14 mm - A4

Document Size: 220 x 307 mm (Includes Bleeds)
 Finished Size: A4 (210 x 297 mm) [Print](#)

Opti Frame 14 mm - A6

Document Size: 115 x 158 mm (Includes Bleeds)
 Finished Size: A6 (105 x 148 mm) [Print](#)

Opti Frame 0.55" - 5"x7"

Document Size: 5.4" x 7.4" (Includes Bleeds)
 Finished Size: 5"x7" (127x178 mm) [Print](#)

Opti Frame 14 mm - A5


Document Size: 158 x 220 mm (Includes Bleeds)
 Finished Size: A5 (148 x 210 mm) [Print](#)

Opti Frame 0.55" - 8"x10"


Document Size: 8.4" x 10.4" (Includes Bleeds)
 Finished Size: 8"x10" (203.2x254 mm) [Print](#)

INSTALLATION INSTRUCTIONS


Opti Frame 14 mm with Support, / A4-8"X10"



Closing the support tool




Changing the position of the frame (Horizontal & Vertical)




Storage conditions: Goods should be stored at 0°-35°C in a dry place. Store in the original package.

Screw & anchor mounting



Hanger mounting



Landscape or portrait positions




- For product questions or concerns please contact customer care. Please have your order number / carton (e.g. 1/110001394-460) available to help expedite the process.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law.

- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.



INSTALLATION INSTRUCTIONS


Opti Frame 14 mm / A4 without Support




Storage conditions: Goods should be stored at 0°-35°C in a dry place. Store in the original package.

- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

Opti Frame 14 mm with Support / A5-A6 -5"X7"



Hanger mounting



Landscape or portrait positions

There are 2 different slots at different positions at the back of the frame, for using the frame in both horizontal and vertical positions.



The opened position of counter support for Opti Frame in horizontal position.

- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com