

**POWER MAXI
LED**

MAXI
frame



FRAMELESS LOOKING AD SIGNS FOR BIG FABRIC POSTERS!


The Power Maxi LED is a modern way of advertising with its slim 100mm profile, single or double sided. It is suitable for textile printed graphics. Practical poster application with clear tape provides smooth look. Completed with a ceiling suspension system, the Power Maxi LED is a special advertising solution when it comes to display advertising or messages. All units pass CE/UL Pat test and packed with quality certificates.

KEY SELECTION ATTRIBUTES

- * A very modern and slim design, single-sided, wall hanging, edge-lit Maxi Frame system, combining long lasting LED technology bulbs, aluminium profiles and sewed or nylon strip for application of printed fabric posters.
- * One of the most attractive frame designs in the market with frameless look when viewed from the front side.
- * LED bulbs are not seen from outside, since they are embedded in sides of the frame.
- * Suitable for INDOOR applications with 1500x2500mm, 2000x2000mm, 2000x3000mm and 2500x4000mm poster sizes in portrait and landscape position. Maximum size is 2500x6000mm.
- * Maxi Frames with LED can be ordered in standard sizes. They can also be ordered in special lengths and parts as semi products.
- * Supplied with quality certificates and CE/UL PAT test reports passed.
- * Natural silver-anodized in standard and various RAL colors available with antimicrobial powder coating. Subject to MOQ.
- * One set includes single sided aluminium profile frame with 100mm depth and embedded LED bulbs; 36x19mm aluminium H-profile for 1000mm and more wider poster sizes; 3mm clear nylon strips; connectors, cleats, nuts, bolts and allen key for installation; 1 power supply with cable and 1 EU Plug. UK and US plugs are available, should be specified with order. All electrical components are CE listed.
- * Fabric is not included in the original pack.
- * Recommended fabric thickness for digital printing is 0,5mm. Thickness of the profile is 4mm. Thickness of nylon strip is 3mm. The pull sticker in 0,5mm thickness must be sewed on the fabric for taking out the poster when fitted into the channels.
- * 13mm on each side of the fabric into Maxi Profiles, so 26mm on each Fabric Poster is not seen on the poster. Please arrange accordingly.
- * Additional print shares suggested for Maxi Frame's Fabric Posters: 28mm between 200-750mm, 20mm between 750-1500mm, 15mm between 1500-3000mm. These values might vary according to the fabric used.
- * Profiles and connector parts for the required sizes are packed unassembled in a single box with an easy mounting instruction sheet. For larger sizes of Power Maxi LED, H-Profile must be used for stability. Fixing tools are included in each frame.
- * Products are suitable to use 7/16. For using the LED frame for 24 hours a day and 7 days a week, please ask for special 7/24 power supplies.



One product,
two positions
(landscape&portrait)



COLOURS IN STOCK



Silver

SUITABLE FOR

Power Maxi LED can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments, banks, car dealers, restaurants, telecom companies, insurance companies, libraries, museums, travel agencies and many more.

WATCH VIDEO




Watch video at our website www.mtdisplays.com


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



Application of nylon strip by sew-on process



Application of nylon strip by double sided tape




ARTICLES

ARTICLE	EXTERNAL (x-y)	LIGHTING
UMLPTN1525	1500 X 2500 mm	
UMLPTN2020	2000 X 2000 mm	
UMLPTN2030	2000 X 3000 mm	
UMLPTN2540	2500 X 4000 mm	
UMPLTN4060	40" X 60"	1900-2300 LUX
UMPLTN6040	60" X 40"	1900-2300 LUX
UMPLTN8790	87" X 90"	1800-2100 LUX
UMPLTN1090	100" X 90"	2000-2300 LUX
UMPLTN1290	120" X 90"	2000-2300 LUX
UMPLTN1890	118" X 90"	2000-2300 LUX

MAXIMUM SIZE: 2500X6000 mm


COMPONENTS OF MAXI FRAMES




Flat Connector for Maxi Frame with LED profile. Packed in 10. UYUP412320




Flat Connector for Maxi Frame with LED profile. Packed in 10. UYUP412330




Square Corner Connector for Power LED. Packed by 10. UYUP412270



Corner Cleat for Maxi Frame with LED. Packed by 8. UYUP412295



Straight Cleat for H profile. Packed by 8. UYUP412291



Straight Cleat for H profile. Packed by 8. UYUP412310



Clear Nylon Strip 13 x 3 mm, 100 meters. UYUP460235



Clear Nylon Strip with tape 13 x 3 mm, 50 meters. UYUP460220



Red&black electrical cable 500-2500 mm.



Power Supplies 90W-160W.



Led Modules 3-S5 LED



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com

PHYSICAL DATA

Material

Aluminium profile frame with 100 mm depth, 36x19mm aluminium H-profile, clear nylon strips, metal connectors, LED bulbs.

Surface Finish

Natural silver-anodized in standard and various RAL colors available with antimicrobial powder coating. Subject to MOQ. Call for custom color requests.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions:

[Warranty Conditions](#)

Poster Material & Thickness

Recommended fabric thickness for digital printing is 0,5mm. Thickness of the channel is 4mm. Thickness of nylon strip is 3mm. The pull sticker in 0,5mm thickness must be sewed on the fabric to take out the poster from channels.

Installation Considerations

Profiles and connector parts of Power Maxi LED for the required sizes are packed unassembled in a single box with an easy mounting instruction sheet. For larger sizes of Power Maxi LED, H-Profile must be used for stability. Fixing tools are included in each frame. Supplied with quality certificates and CE/UL PAT test reports passed. One set includes single sided aluminium profile frame with 100mm depth and embedded LED bulbs; 36x19mm aluminium H-profile for 1000mm and more wider poster sizes; 3mm clear nylon strips; connectors, cleats, nuts, bolts and allen key for installation; 1 power supply with cable and 1 EU Plug. UK and US plugs are available, should be specified with order. All electrical components are CE listed. Products are suitable to use 7/16. For using the LED frame for 24 hours a day and 7 days a week, please ask for special 7/24 power supplies. Fabric is not included in the original pack. 13mm on each side of the fabric into Maxi Profiles, so 26mm on each Fabric Poster is not seen on the poster. Please arrange accordingly. Additional print shares suggested for Maxi Frame's Fabric Posters: 28mm between 200-750mm, 20mm between 750-1500mm, 15mm between 1500-3000mm. These values might vary according to the fabric used. Maxi Frames with LED can be ordered in standard sizes. They can also be ordered in special lengths and parts as semi products.

Design Considerations

A very modern and slim design, single-sided, wall hanging, edge-lit Maxi Frame system, combining long lasting LED technology bulbs, aluminium profiles and sewed or nylon strip for application of printed fabric posters. One of the most attractive frame designs in the market with frameless look when viewed from the front side. LED bulbs are not seen from outside, since they are embedded in sides of the frame. Suitable for INDOOR applications with 1500x2500mm, 2000x2000mm, 2000x3000mm and 2500x4000mm poster sizes in portrait and landscape position. Maximum size is 2500x6000mm.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Cleaning and Disinfecting

CE/UL Patent approved.

PRINT TEMPLATES

Power Maxi LED - 1500 x 2500 mm

Document Size: 1560 x 2560 mm (Includes Bleeds)
Finished Size: 1500 x 2500 mm [Print](#)

Power Maxi LED - 2000 x 2000 mm

Document Size: 2060 x 2060 mm (Includes Bleeds)
Finished Size: 2000 x 2000 mm [Print](#)

Power Maxi LED - 2000 x 3000 mm

Document Size: 2060 x 3060 mm (Includes Bleeds)
Finished Size: 2000 x 3000 mm [Print](#)

Power Maxi LED - 2500 x 4000 mm

Document Size: 2560 x 4060 mm (Includes Bleeds)
Finished Size: 2500 x 4000 mm [Print](#)

Power Maxi LED - 40" x 60"

Document Size: 42.36" x 62.36" (Includes Bleeds)
Finished Size: 40" x 60" (1016 x 1524 mm)

Power Maxi LED - 60" x 40"

Document Size: 62.36" x 42.36" (Includes Bleeds)
Finished Size: 60" x 40" (1524 x 1016 mm)

Power Maxi LED - 87" x 90"

Document Size: 89.36" x 92.36" (Includes Bleeds)
Finished Size: 87" x 90" (2209 x 2286 mm)

Power Maxi LED - 100" x 90"

Document Size: 102.36" x 92.36" (Includes Bleeds)
Finished Size: 100" x 90" (2540 x 2286 mm)

Power Maxi LED - 120" x 90"

Document Size: 122.36" x 92.36" (Includes Bleeds)
Finished Size: 120" x 90" (3048 x 2286 mm)


Power Maxi LED - 118" x 90"

Document Size: 120.36" x 92.36" (Includes Bleeds)
Finished Size: 118" x 90" (2997 x 2286 mm)




INSTALLATION INSTRUCTIONS

Power LED



Attaching a fabric poster



• Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
 • All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com