

SECURITY FRAME



SECURELY DISPLAY YOUR MESSAGES IN HEAVY TRAFFIC COMMERCIAL AREAS

Security Frames make it easy to display various posters securely. These quality secure frames, which are also known as poster signs, poster holders and poster frames fit in different business environments and are appropriate for all industries. Each secure poster frame works just like regular snap frame. However with these secure frames you need a lever tool to snap open the sides. This feature makes this frame tamper-proof.

KEY SELECTION ATTRIBUTES

- Suitable for open-air use or highly frequented areas accessible to the public.
- 25 mm version ideal for various medium-scale poster sizes.
- 42 mm version ideal for various large-scale poster sizes.
- Natural silver-anodized and various RAL colors available with antimicrobial powder coating.
- Standard mitred corners.
- Secure hard-to-open profiles.
- Anti-glare poster cover sheet.
- Optional V-Hangers for easy mounting.



25 mm



32 mm




COLOURS IN STOCK




Silver Black

COLOUR OPTIONS



CORNER TYPES



SUITABLE FOR

Security Frame can be used for INDOOR applications, for displaying messages and announcements safely in heavy traffic areas like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments, banks, exhibiton halls, restaurants, retail stores, elevators, movie theatres, sports and entertainment centers, trade shows, government agencies and many more.

WATCH VIDEO



Watch video at our website
www.mtdisplays.com

FEATURES

25 mm





42 mm



32 mm



EXPLODED VIEW



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com




ARTICLES

PROFILE : 25 mm Security				WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UCZ255N0A4	240 X 327 mm	210 X 297 mm	190 X 277 mm	0,550 kg	290 X 390 X 31 mm
UCZ255N0A3	327 X 450 mm	297 X 420 mm	277 X 400 mm	0,850 kg	390 X 510 X 31 mm
UCZ255N0A2	450 X 624 mm	420 X 594 mm	400 X 574 mm	1,350 kg	510 X 690 X 31 mm
UCZ255N0A1	624 X 871 mm	594 X 841 mm	574 X 821 mm	2,500 kg	690 X 940 X 31 mm
UCZ255N0B2	530 X 730 mm	500 X 700 mm	480 X 680 mm	1,700 kg	930 X 1310 X 31 mm
UCZ255N0B1	730 X 1030 mm	700 X 1000 mm	680 X 980 mm	3,300 kg	590 X 790 X 31 mm
UCZ255N0B1	9.69" X 12.17"	8.5" X 11"	996 X 1504 mm	1.102 lbs	10.63" X 12.99" X 0.83"
UCZ255N022	23.19" X 29.17"	22" X 28"	7.72" X 10.20"	3.637 lbs	24.02" X 30.31" X 0.83"
UCZ255N023	21.18" X 31.18"	20" X 30"	21.22" X 27.20"	3.637 lbs	22.44" X 32.28" X 1.22"
UCZ255N024	25.20" X 37.17"	24" X 36"	19.21" X 29.21"	5.070 lbs	25.98" X 38.58" X 0.83"
UCZ255N034	31.18" X 41.18"	30" X 40"	23.23" X 35.20"	6.944 lbs	31.89" X 42.13" X 0.91"
UCZ255N046	41.18" X 61.18"	40" X 60"	29.21" X 39.21"	16.093 bs	33.46" X 43.70" X 0.91"

PROFILE : 32 mm Security				WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UCZ325N0A3	340 X 463 mm	297 X 420 mm	277 X 400 mm	1,045 kg	360 X 460 X 31 mm
UCZ325N0A2	463 X 637 mm	420 X 594 mm	400 X 574 mm	1,820 kg	460 X 670 X 31 mm
UCZ325N0A1	637 X 884 mm	594 X 841 mm	574 X 821 mm	2,760 kg	660 X 910 X 31 mm
UCZ325N0A0	884 X 1232 mm	841 X 1189 mm	821 X 1169 mm	4,800 kg	910 X 1270 X 31 mm
UCZ325N0B2	543 X 743 mm	500 X 700 mm	480 X 680 mm	2,100 kg	560 X 760 X 31 mm
UCZ325N0B1	743 X 1043 mm	700 X 1000 mm	680 X 980 mm	3,715 kg	760 X 1060 X 31 mm
UCZ325N0B0	1043 X 1443 mm	1000 X 1400 mm	980 X 1380 mm	6,300 kg	1070 X 1480 X 31 mm
UCZ325N023	551 X 805 mm	508 X 762 mm	488 X 742 mm	2,250 kg	570 X 830 X 31 mm
UCZ325N034	805 X 1059 mm	762 X 1016 mm	742 X 996 mm	4,000 kg	830 X 1080 X 31 mm
UCZ325N046	1059 X 1567 mm	1016 X 1524 mm	996 X 1504 mm	7,200 kg	1080 X 1590 X 31 mm

PROFILE : 42 mm Security				WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UCZ425N0A3	340 X 463 mm	297 X 420 mm	256 X 379 mm	1,250 kg	370 X 480 X 31 mm
UCZ425N0A2	463 X 637 mm	420 X 594 mm	379 X 553 mm	1,820 kg	460 X 670 X 31 mm
UCZ425N0A1	637 X 884 mm	594 X 841 mm	553 X 800 mm	2,760 kg	660 X 910 X 31 mm
UCZ425N0A0	884 X 1232 mm	841 X 1189 mm	800 X 1148 mm	4,800 kg	910 X 1270 X 31 mm
UCZ425N0B2	543 X 743 mm	500 X 700 mm	459 X 659 mm	2,100 kg	560 X 760 X 31 mm
UCZ425N0B1	743 X 1043 mm	700 X 1000 mm	659 X 959 mm	3,715 kg	760 X 1060 X 31 mm
UCZ425N023	21.69" X 31.69"	20" X 30"	18.39" X 28.39"	4.739 lbs	22.44" X 32.28" X 1.22"
UCZ425N034	31.69" X 41.69"	30" X 40"	28.39" X 38.39"	7.936 lbs	32.28" X 42.52" X 1.22"
UCZ425N046	41.69" X 61.69"	40" X 60"	38.39" X 58.39"	13.227 lbs	41.73" X 61.81" X 1.22"

TECHNICAL DRAWING



OPTIONAL ACCESSORIES



V Hanger / UYAA011010



Levertool 25mm / UYUP047000



Levertool 42 mm / UYUP047100



PHYSICAL DATA

Material

25 mm and 42 mm aluminum profiles.
PET poster cover, PS backing or ABS backing.

Poster Material & Thickness

0,10 – 0,20 mm for standard product. Max poster thickness 4 mm for 25 mm profile, 7 mm for 42 mm profile. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Silver anodized, or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions:
[Warranty Conditions](#)

Installation Considerations

Each frame includes wall mounting accessories (4 screws & 4 plugs). Each frame is packed individually in a cardboard box. "Optional hangers" permit easy mounting. The lever tool should be ordered separately, not included in the original pack.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Design Considerations

Suitable for silk screen printing, max. letter height is 15 mm for 25 mm. Suitable for silk screen printing, max. letter height is 21 mm for 42 mm.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

PRINT TEMPLATES

Security Frame 25 mm - A4

Document Size: 220 x 307 mm (Includes Bleeds)
Finished Size: A4 (210 x 297 mm) [Print](#)

Security Frame 25 mm - A3

Document Size: 307 x 430 mm (Includes Bleeds)
Finished Size: A3 (297 x 420 mm) [Print](#)

Security Frame 25 mm - A2

Document Size: 430 x 604 mm (Includes Bleeds)
Finished Size: A2 (420 x 594 mm) [Print](#)

Security Frame 25 mm - A1

Document Size: 604 x 851 mm (Includes Bleeds)
Finished Size: A1 (594 x 841 mm) [Print](#)

Security Frame 42 mm - A3

Document Size: 307 x 430 mm (Includes Bleeds)
Finished Size: A3 (297 x 420 mm) [Print](#)

Security Frame 42 mm - A2

Document Size: 430 x 604 mm (Includes Bleeds)
Finished Size: A2 (420 x 594 mm) [Print](#)

Security Frame 42 mm - A1

Document Size: 604 x 851 mm (Includes Bleeds)
Finished Size: A1 (594 x 841 mm) [Print](#)

Security Frame 25 mm - B2

Document Size: 510 x 710 mm (Includes Bleeds)
Finished Size: B2 (500 x 700 mm) [Print](#)

Security Frame 25 mm - B1

Document Size: 710 x 1010 mm (Includes Bleeds)
Finished Size: B1 (700 x 1000 mm) [Print](#)

Security Frame 1" - 8.5"x11"

Document Size: 8.9" x 11.4" (Includes Bleeds)
Finished Size: 8.5"x11" (215.9x279.4 mm)

Security Frame 1" - 20"x30"

Document Size: 20.4" x 30.4" (Includes Bleeds)
Finished Size: 20"x30" (508x762 mm) [Print](#)

Security Frame 42 mm - A0

Document Size: 851 x 1199 mm (Includes Bleeds)
Finished Size: A0 (841 x 1189 mm)

Security Frame 42 mm - B2

Document Size: 510 x 710 mm (Includes Bleeds)
Finished Size: B2 (500 x 700 mm) [Print](#)

Security Frame 42 mm - B1

Document Size: 710 x 1010 mm (Includes Bleeds)
Finished Size: B1 (700 x 1000 mm) [Print](#)

Security Frame 1" - 22"x28"

Document Size: 22.4" x 28.4" (Includes Bleeds)
Finished Size: 22"x28" (558.8x711.1 mm)

Security Frame 1" - 24"x36"

Document Size: 24.4" x 36.4" (Includes Bleeds)
Finished Size: 24"x36" (609.6x914.4 mm)

Security Frame 1" - 30"x40"

Document Size: 30.4" x 40.4" (Includes Bleeds)
Finished Size: 30"x40" (762x1016 mm) [Print](#)

Security Frame 1" - 40"x60"

Document Size: 40.4" x 60.4" (Includes Bleeds)
Finished Size: 40"x60" (1016x1524 mm) [Print](#)

Security Frame 1.65" - 20"x30"

Document Size: 20.4" x 30.4" (Includes Bleeds)
Finished Size: 20"x30" (508x762 mm) [Print](#)

Security Frame 1.65" - 30"x40"

Document Size: 30.4" x 40.4" (Includes Bleeds)
Finished Size: 30"x40" (762x1016 mm) [Print](#)






Security Frame 1.65" - 40"x60"

Document Size: 40.4" x 60.4" (Includes Bleeds)
Finished Size: 40"x60" (1016x1524 mm) [Print](#)



INSTALLATION INSTRUCTIONS

Security Frame / 1001856



Screw & anchor mounting

Each frame includes wall mounting accessories
(4 screws & 4 anchors)



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com