

SLIDE-IN A BOARD



DOUBLE SIDED SIDEWALK SIGNS WITH TOP OPENING DESIGN

Top opening Slide-in A Board is a practical product. Suitable for outdoor use. Available in Grey and Black finishes. Poster stands stable in between cover and backing. Rubber feet increase the product life as well as giving a clean finish to Slide-in A Board.

KEY SELECTION ATTRIBUTES

- Double-sided Pavement Sign with top opening slide-in design.
- Easy to use by sliding posters from snap opening top profile in between PET cover and PP backing.
- Suitable for outdoor use as it is heavy and rust-proof.
- One set includes double sided frames with top opening design, 2 anti-reflex PET poster covers, 2 PP backings, rubber feet, hinges, and scissors for keeping the system stable.
- Bottom profile of sandwich slide-in panel provide easy application.
- Rubber feet increase the product life as well as giving a clean finish to Slide-in A Board.
- Optional brochure baskets are not included, should be ordered separately.
- Silver and black colours in standard and various RAL colors available with antimicrobial powder coating.
- Standard Poster Thickness: 0,10 - 0,20 mm.
- Max poster thickness 4,00 mm when used without PP backer.
- In case a rigid board used as poster, max thickness is 7,00 mm (0,276") without using U poster profile. If U profile is used, max 4,00 mm (0,157") thick board can be attached onto the U profile.
- Packed in a single box with an easy-to-understand instruction sheet
- No tool assembly.




Black



Silver



COLOURS IN STOCK



Silver Black

COLOUR OPTIONS

Black Anodised

White - RAL 9003

Red - RAL 3020

Blue - RAL 5002

Green - RAL 6029

Yellow - RAL 1021

SUITABLE FOR

Slide-in A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO




Watch video at our website
www.mtdisplays.com


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

GRAY	BLACK	EXTERNAL (x-y)	POSTER	COPY	H	WEIGHT WITH PACKING	PACKING SIZE *W X H X D
UABSON00A1	UABSOB00A1	651 X 907 mm	594 X 841 mm	571 X 827 mm	1150 mm	8,840 kg	720 X 1270 X 85 mm
UABSON00B1	UABSOB00B1	757 X 1066 mm	700 X 1000 mm	677 X 986 mm	1250 mm	10,550 kg	800 X 1390 X 85 mm
UABSON0022	UABSOB0022	24.24" X 30.24"	22" X 28"	21.09" X 27.09"	45.28"	16.314 lbs	25.59" X 38.98" X 3.35"
UABSON0024	UABSOB0024	26.24" X 38.24"	24" X 36"	23.09" X 35.09"	45.28"	23.765 lbs	28.35" X 50" X 3.35"
UABSON0034	UABSOB0034	32.24" X 42.24"	30" X 40"	29.09" X 39.09"	49.21"	23.258 lbs	34.65" X 53.94" X 3.35"

OPTIONAL ACCESSORIES



A board basket A4 size
to hang on scissors.
UYTS3000A4

PHYSICAL DATA

Material

40 mm aluminium profile, PET anti-reflex poster cover, PP backing.

Poster Material & Thickness

0,10 - 0,20 mm for standard product. Max poster thickness 4,00 mm when used without PP backer. In case a rigid board used as poster, max thickness is 7,00 mm (0,276") without using U poster profile. If U profile is used, max 4,00 mm (0,157") thick board can be attached onto the U profile. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Natural silver-anodized, or black powder coated in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 2 years by MT Displays with below conditions:
[Warranty Conditions](#)

Installation Considerations

Slide-in A Boards are packed in a single box with an easy-to-understand instruction sheet. One set includes double sided frames with top opening design, 2 anti-reflex PET poster covers, 2 PP backings, rubber feets, hinges, and scissors for keeping the system stable. No tool assembly. Optional Brochure Baskets are not included, should be ordered separately.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Design Considerations

Double-sided Pavement Sign with top opening slide-in design. Suitable for outdoor use with A1 and B1 poster sizes with a sight angle that stops passers-by. Easy to use by sliding posters from snap opening top profile in between PET cover and PP backing. Bottom profile of sandwich slide-in panel provide easy application. Rubber feets increase the product life as well as giving a clean finish to Slide-in A Board. Suitable for silk screen printing, max. letter height is 20 mm.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com

PRINT TEMPLATES

Slide-in A Board - A1

Document Size: 604 x 851 mm (Includes Bleeds)
Finished Size: A1 (594 x 841 mm) [Print](#)

Slide-in A Board - 22" x 28"

Document Size: 22.4" x 28.4" (Includes Bleeds)
Finished Size: 22" x 28" (558.8 x 711.2 mm)

Slide-in A Board - 30" x 40"

Document Size: 30.4" x 40.4" (Includes Bleeds)
Finished Size: 30" x 40" (762 x 1016 mm)

Slide-in A Board - B1


Document Size: 710 x 1010 (Includes Bleeds)
Finished Size: B1 (700 x 1000 mm) [Print](#)

Slide-in A Board - 24" x 36"

Document Size: 24.4" x 36.4" (Includes Bleeds)
Finished Size: 24" x 36" (609.6 x 914.4 mm)

INSTALLATION INSTRUCTIONS

Slide-in A Board / 1008625



Each Slide-in A Board includes
(2 PET covers & 2 PP backings).



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +90 850 433 67 85 / info@mtdisplays.com / www.mtdisplays.com