

"CLICK CLACK" QUICK POSTER FRAMES FOR DISPLAYING YOUR ADS

This quick clip metal sign frame is a wall mounted display that holds graphics between A4 – 40''-60'' sizes and those graphics are safely protected by a clear non-glare lens against wear and tear. The lens also prevents reflection.

The poster frame combines the desirable features of affordability with style and ease of use. The snap frame has secured its name and reputation owing to the clip style, hinge support structures that simply flip open and snap back into place for the easy rotation of graphics. The removal and replacement of images can be achieved in a matter of seconds with the clip metal sign frame. Best of all, the poster holder is a wall mountable display unit whereby the front loading design of the structure means you will not have to disassemble and reassemble the frame once it has been mounted. The poster frame can be positioned in either portrait or landscape presentation, with screws and anchors supplied.

KEY SELECTION ATTRIBUTES

- * Easy to mount, simple to carry.
- * Ideal for various small-sized posters.
- * Frame with a slim profile design and mitred corners.
- * Natural silver-anodized and various RAL colors available with antimicrobial powder coating.
- * High impact molded plastic backing.
- * Anti-glare poster cover sheet.
- * Standard with screws and anchors for wall hanging in landscape or portrait positions.
- * Optional V-Hangers for easy wall mounting.
- * Optional support for counter-top standing.
- * Max length 220cm and max perimeter 640cm.





Silver Anodised, mitred



Silver Anodised, round



Black Anodised



Wood Look Effect



Light Wood Effect



Golden Look Effect



Chrome Look Effect



Stainless Steel Look



Black



White



Red



COLOURS IN STOCK







COLOUR OPTIONS



Round corner Mitred corner

CORNER TYPES

SNAP FRAME FAMILY



SUITABLE FOR

Snap Frame can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO





Watch video at our website www.mtdisplays.com

FEATURES









EXPLODED VIEW

TECHNICAL DRAWING






ARTICLES

												WEIGHT	PACKING SIZE
SILVER MITRED	SILVER ROUND	BLACK MITRED	BLACK ROUND	GOLD	CHROME	STAINLESS	DARK WOOD	LIGHT WOOD	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UCN255N0A4	UCN250N0A4	UCN255N0A4	UCN250N0A4	UCN255G0A4	UCN255K0A4	UCN255S0A4	UCN255W0A4	UCN255W1A4	240 X 327 mm	210 X 297 mm	192 X 279 mm	0,500 kg	260 X 350 X 21 mm
UCN255N0A3	UCN250N0A3	UCN255N0A3	UCN250N0A3	UCN255G0A3	UCN255K0A3	UCN255S0A3	UCN255W0A3	UCN255W1A3	327 X 450 mm	297 X 420 mm	279 X 402 mm	0,760 kg	350 X 460 X 21 mm
UCN255N0A2	UCN250N0A2	UCN255N0A2	UCN250N0A2	UCN255G0A2	UCN255K0A2	UCN255S0A2	UCN255W0A2	UCN255W1A2	450 X 624 mm	420 X 594 mm	402 X 576 mm	1,230 kg	460 X 660 X 21 mm
UCN255N0A1	UCN250N0A1	UCN255N0A1	UCN250N0A1	UCN255G0A1	UCN255K0A1	UCN255S0A1	UCN255W0A1	UCN255W1A1	624 X 871 mm	594 X 841 mm	576 X 823 mm	2,245 kg	650 X 900 X 21 mm
UCN255N0B2	UCN250N0B2	UCN255N0B2	UCN250N0B2	UCN255G0B2	UCN255K0B2	UCN255S0B2	UCN255W0B2	UCN255W1B2	530 X 730 mm	500 X 700 mm	482 X 682 mm	1,600 kg	550 X 750 X 21 mm
UCN255N0B1	UCN250N0B1	UCN255N0B1	UCN250N0B1	UCN255G0B1	UCN255K0B1	UCN255S0B1	UCN255W0B1	UCN255W1B1	730 X 1030 mm	700 X 1000 mm	682 X 982 mm	2,970 kg	750 X 1050 X 21 mm
UCN255N057	-	UCN255B057	-	-	UCN255K057	UCN255S057	UCN255W057	UCN255W157	6.18" X 8.19"	5" X 7"	4.29" X 6.30"	0.551 lbs	7.48" X 9.45" X 0.83"
UCN255N009	-	UCN255B009	-	UCN255G009	UCN255K009	UCN255S009	UCN255W009	UCN255W109	7.20" X 10.20"	6" X 9"	5.31" X 8.31"	0.771 lbs	8.27" X 9.06" X 0.83"
UCN255N010	-	UCN255B010	-	-	UCN255K010	UCN255S010	UCN255W010	UCN255W110	9.17" X 11.18"	8"X 10"	7.28" X 9.29"	0.837 lbs	10.63" X 12.20" X 0.83"
UCN255N081	-	UCN255B081	-	UCN255G081	UCN255K081	UCN255S081	UCN255W081	UCN255W181	9.69" X 12.17"	8.5" X 11"	7.80" X 10.28"	1.102 lbs	10.63" X 12.20" X 0.83"
UCN255N011	-	UCN255B011	-	-	UCN255K011	UCN255S011	UCN255W011	UCN255W111	12.17"X 15.20"	11"X 14"	10.28" X 13.31"	1.433 lbs	13.39" X 16.54" X 0.83"
UCN255N017	UCN250N017	UCN255B017	UCN250B017	-	UCN255K017	UCN255S017	UCN255W017	UCN255W117	12.17"X 18.19"	11"X 17"	10.28" X 16.30"	1.873 lbs	12.99" X 18.90" X 0.83"
UCN255N014	-	UCN255B014	-	-	UCN255K014	UCN255S014	UCN255W014	UCN255W114	15.20"X 23.19"	14" X 22"	13.31" X 21.30"	2.711 lbs	16.54" X 24.41" X 0.83"
UCN255N016	UCN250N016	UCN255B016	UCN250B016	-	UCN255K016	UCN255S016	UCN255W016	UCN255W116	17.20"X 21.18"	16" X 20"	15.31" X 19.29"	2.425 lbs	18.50" X 22.44" X 0.83"
UCN255N018	UCN250N018	UCN255B018	UCN250B018	-	UCN255K018	UCN255S018	UCN255W018	UCN255W118	19.21"X 25.50"	18" X 24"	17.32" X 23.31"	2.645 lbs	20.08" X 25.98" X 0.83"
UCN255N023	UCN250N023	UCN255B023	UCN250B023	UCN255G023	UCN255K023	UCN255S023	UCN255W023	UCN255W123	21.18"X 31.18"	20" X 30"	19.29" X 29.29"	3.637 lbs	22.05" X 31.89" X 0.91"
UCN255N022	UCN250N022	UCN255B022	UCN250B022	-	UCN255K022	UCN255S022	UCN255W022	UCN255W122	23.19"X 29.17"	22" X 28"	21.30" X 27.28"	3.637 lbs	24.02" X 30.31" X 0.83"
UCN255N024	UCN250N024	UCN255B024	UCN250B024	-	UCN255K024	UCN255S024	UCN255W024	UCN255W124	25.20"X 37.17"	24" X 36"	23.31" X 35.28"	5.070 lbs	25.98" X 35.58" X 0.83"
UCN255N074	-	UCN255B074	-	-	UCN255K074	UCN255S074	UCN255W074	UCN255W174	28.19"X 41.18"	27" X 40"	26.30" X 39.29"	6.613 lbs	29.53" X 42.13" X 0.83"
UCN255N034	UCN250N034	UCN255B034	UCN250B034	UCN255G034	UCN255K034	UCN255S034	UCN255W034	UCN255W134	31.18"X 41.18"	30" X 40"	29.29" X 39.29"	6.945 lbs	31.89" X 42.13" X 0.91"
UCN255N046	UCN250N046	UCN255B046	-	UCN255G046	UCN255K046	UCN255S046	UCN255W046	UCN255W146	41.18" X 61.18"	40" X 60"	39.29" X 59.29"	13.227 lbs	41.73" X 61.81" X 0.91"

						WEIGHT	PACKING SIZE
RED	WHITE	BLACK	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*WXHXD
UCN25530A4	UCN25520A4	UCN25510A4	240 X 327 mm	210 X 297 mm	192 X 279 mm	0,500 kg	260 X 350 X 21 mm
UCN25530A3	UCN25520A3	UCN25510A3	327 X 450 mm	297 X 420 mm	279 X 402 mm	0,760 kg	350 X 460 X 21 mm
UCN25530A2	UCN25520A2	UCN25510A2	450 X 624 mm	420 X 594 mm	402 X 576 mm	1,230 kg	460 X 660 X 21 mm
UCN25530A1	UCN25520A1	UCN25510A1	624 X 871 mm	594 X 841 mm	576 X 823 mm	2,245 kg	650 X 900 X 21 mm
UCN25530B2	UCN25520B2	UCN25510B2	530 X 730 mm	500 X 700 mm	482 X 682 mm	1,600 kg	550 X 750 X 21 mm
UCN25530B1	UCN25520B1	UCN25510B1	730 X 1030 mm	700 X 1000 mm	682 X 982 mm	2,970 kg	750 X 1050 X 21 mm
UCN2553057	UCN2552057	UCN2551057	6.18"X 8.19"	5" X 7"	4.29" X 6.30"	0.551 lbs	7.48" X 9.45" X 0.83"
UCN2553009	UCN2552009	UCN2551009	7.20" X 10.20"	6" X 9"	5.31" X 8.31"	0.771 lbs	8.27"X 9.06"X 0.83"
UCN2553010	UCN2552010	UCN2551010	9.17" X 11.18"	8" X 10"	7.28" X 9.29"	0.837 lbs	10.63"X 12.20"X 0.83"
UCN2553081	UCN2552081	UCN2551081	9.69" X 12.17"	8.5" X 11"	7.80" X 10.28"	1.102 lbs	10.63"X 12.20"X 0.83"
UCN2553011	UCN2552011	UCN2551011	12.17"X 15.20"	11"X 14"	10.28" X 13.31"	1.433 lbs	13.39"X 16.54"X 0.83"
UCN2553017	UCN2552017	UCN2551017	12.17"X 18.19"	11"X 17"	10.28" X 16.30"	1.873 lbs	12.99"X 18.90"X 0.83"
UCN2553014	UCN2552014	UCN2551014	15.20"X 23.19"	14" X 22"	13.31"X 21.30"	2.711 lbs	16.54"X 24.41"X 0.83"
UCN2553016	UCN2552016	UCN2551016	17.20"X 21.18"	16" X 20"	15.31" X 19.29"	2.425 lbs	18.50"X 22.44"X 0.83"
UCN2553018	UCN2552018	UCN2551018	19.21"X 25.50"	18" X 24"	17.32" X 23.31"	2.645 lbs	20.08"X 25.98"X 0.83"
UCN2553023	UCN2552023	UCN2551023	21.18"X 31.18"	20"X 30"	19.29" X 29.29"	3.637 lbs	22.05"X 31.89"X 0.91"
UCN2553022	UCN2552022	UCN2551022	23.19"X 29.17"	22"X 28"	21.30" X 27.28"	3.637 lbs	24.02"X 30.31"X 0.83"
UCN2553024	UCN2552024	UCN2551024	25.20"X 37.17"	24" X 36"	23.31" X 35.28"	5.070 lbs	25.98"X 35.58"X 0.83"
UCN2553074	UCN2552074	UCN2551074	28.19"X 41.18"	27" X 40"	26.30" X 39.29"	6.613 lbs	29.53"X 42.13"X 0.83"
UCN2553034	UCN2552034	UCN2551034	31.18"X 41.18"	30"X 40"	29.29" X 39.29"	6.945 lbs	31.89"X 42.13"X 0.91"
UCN2553046	UCN2552046	UCN2551046	41.18"X 61.18"	40" X 60"	39.29" X 59.29"	13.227 lbs	41.73"X 61.81"X 0.91"

OPTIONAL ACCESSORIES







V Hanger / UYAA011010



Please Note: UYUP057000X1000 is optional, and has to be ordered separately. Adding counter support is possible, in case the frame is ordered as suitable for counter support.

Screws & plugs / UYUP360110

PHYSICAL DATA

Materia

25 mm aluminum profiles. PET poster cover, High impact, molded PS or ABS backing.

Poster Material & Thickness

 $0,10-0,20\,\text{mm}$ for standard product. Max poster thickness is 2 mm. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content

Up to 70% recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions: Warranty Conditions

Installation Considerations

Each frame includes wall mounting accessories. Each frame is packed individually in a cardboard box.

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Design Considerations

Suitable for silk screen printing, max. letter height is 15 mm.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Certifications / Patents



PRINT TEMPLATES

Snap Frame 25 mm - A4

Document Size: 220 x 307 mm (Includes Bleeds) Finished Size: A4 (210 x 297 mm) Print

Snap Frame 25 mm - A3

Document Size: 307 x 430 mm (Includes Bleeds) Finished Size: A3 (297 x 420 mm) Print

Snap Frame 25 mm - A2

Document Size: 430 x 604 mm (Includes Bleeds) Finished Size: A2 (420 x 594 mm) Print

Snap Frame 25 mm - A1

Document Size: 604 x 851 mm (Includes Bleeds) Finished Size: A1 (594 x 841 mm) Print

Snap Frame 25 mm - B2

Document Size: 510 x 710 mm (Includes Bleeds) Finished Size: B2 (500 x 700 mm) Print

Snap Frame 25 mm - B1

Document Size: 710 x 1010 mm (Includes Bleeds) Finished Size: B1 (700 x 1000 mm) Print

Snap Frame 1" - 5"x7"

Document Size: 5.40" x 7.40" (Includes Bleeds) Finished Size: 5"x7" (127x177.8 mm)

Snap Frame 1" - 6"x9"

Document Size: 6.4" x 9.4" (Includes Bleeds) Finished Size: 6"x9" (152.4x228.6 mm)

Snap Frame 1" - 8"x10"

Document Size: 8.4" x 10.4" (Includes Bleeds) Finished Size: 8"x10" (203.2x254 mm)

Snap Frame 1" - 8.5"x11"

Document Size: 8.9" x 11.4" (Includes Bleeds) Finished Size: 8.5"x11" (215.9x279.4 mm)

Snap Frame 1" - 11"x14"

Document Size: 11.4" x 14.4" (Includes Bleeds) Finished Size: 11"x14" (279.4x355.6 mm)

Snap Frame 1" - 11"x17"

Document Size: 11.4" x 17.4" (Includes Bleeds) Finished Size: 11"x17" (279.4x431.8 mm)

Snap Frame 1" - 14"x22"

Document Size: 14.4" x 22.4" (Includes Bleeds) Finished Size: 14"x22" (355.6x558.8 mm)

Snap Frame 1" - 16"x20"

Document Size: 16.4" x 20.4" (Includes Bleeds) Finished Size: 16"x20" (406.4x508 mm)

Snap Frame 1" - 18"x24"

Document Size: 18.4" x 24.4" (Includes Bleeds) Finished Size: 18"x24" (457.2x609.6 mm)

Snap Frame 1" - 20"x30"

Document Size: 20.4" x 30.4" (Includes Bleeds) Finished Size: 20"x30" (508x762 mm) Print

Snap Frame 1" - 22"x28"

Document Size: 22.4" x 28.4" (Includes Bleeds) Finished Size: 22"x28" (558.8x711.1 mm)

Snap Frame 1" - 24"x36"

Document Size: 24.4" x 36.4" (Includes Bleeds) Finished Size: 24"x36" (609.6x914.4 mm)

Snap Frame 1" - 27"x40"

Document Size: 27.4" x 40.4" (Includes Bleeds) Finished Size: 27"x40" (685.8x1016 mm)

Snap Frame 1" - 30"x40"

Document Size: 30.4" x 40.4" (Includes Bleeds) Finished Size: 30"x40" (762x1016 mm) Print

Snap Frame 1" - 40"x60"

Document Size: 40.4" x 60.4" (Includes Bleeds) Finished Size: 40"x60" (1016x1524 mm) Print

INSTALLATION INSTRUCTIONS


Snap Frame 25 mm / 1001846











Screw & anchor mounting

2









1. If your frame corners are slightly uneven, there is an easy fixing. Follow these steps with care, as the corners are sharp.



2. Locate the metal brackets on the back of your frame near the gap and loosen the screws. Push the two sides of the frame together and retighten



3. Your frame corners should be perfectly





- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyproblem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.

